

Technical Product Information

www.usglobalpetroleum.com

www.everestoil.com

773-376-9660

Premium
Performance

EVEREST®

SAE-40 HEAVY DUTY DIESEL ENGINE OIL

Everest Heavy Duty Motor Oils are formulated with selected anti-wear additives to reduce wear, provide excellent control of sludge and other engine deposits that form because of high engine temperatures and combustion exhaust. It is formulated to provide clean engines and excellent control of sludge and other engine deposits that form because of high engine temperatures and combustion exhaust. USGLOBAL Premium Motor Oils provide superb performance for today's passenger cars, light trucks, sport utility vehicles and other mobile and stationary engines.

Everest Heavy Duty SAE-30 CF-4 Motor Oil meets the requirements of CF-4 and is backward compatible with all earlier service categories including CF-2 and CF/SF service classifications.

- Service Classification CF-4 / SL
- Resists breakdown in the most severe engine environments
- Fights formation of sludge and varnish deposits that reduce engine life
- Provides excellent protection to critical turbo unit components
- Excellent wear, corrosion, and rust protection
- Resist oil thickening by providing advanced oxidation control
- Helps reduce oil consumption by fighting volatility and oil evaporation

Typical Characteristic SAE-40 Heavy Duty Motor Oil

SAE GRADE	Heavy Duty	SAE-40
API SERVICE		CF-4
API Gravity	ASTM D4052-11	30.9
Flash Point, COC °C/°F	ASTM D92	206 / 402.8
Pour Point, °C/°F	ASTM D97	-40 / -40
Viscosity @ 40°C, cSt	ASTM D445	110.0
Viscosity @ 100°C, cSt	ASTM D445	15.9
Viscosity Index	ASTM D2270	108
Phosphorus, mass %	ASTM D4951	0.08
Total Base No. TBN	ASTM D2896	10.1

Test Method ASTM - Typical test data are average values only. Minor variations, which do not affect performance, may occur.

CF-4 / CD



V190624

HANDLING AND SAFETY INFORMATION - Refer to EVEREST (SDS) Safety Data Sheets for proper handling and safety information. Use the same care and handling as for any petroleum product. Nothing herein shall be deemed to constitute a warranty, express or implied, that said information or data are correct or that the products described are merchantable or fit for a particular purpose, or that said information, data or products can be used without infringing patents of third parties.